



104" EDGE 540T



These dimensions in mm.



Wing Area : 1244dm² / 1897.3sq.in.
Wing tube : 38×1180mm / 13×370mm
Stab tube : 16×524mm / 9×356mm
Main wing incidence : 0 deg
Stab incidence : 0 deg
Right thrust : 3 deg
Up/Down thrust : 0 deg

SPECS

WingSpan: 104"
Length: 103"
Wing area: 1897 sq. in.

Spinner: 5"
Weight: 26-28 lbs.

Center of Gravity: Our preferred CG location is the center of the wing tube.

Control settings:

Aileron Low: 20 deg up, 20 deg down 18-20% exponential
High: 38 deg up, 37 deg down 50-60% exponential

Elevator Low: 10-12 deg 18-20% exponential
High/3D: 45-50 deg 50-60% exponential
XA/Tumbling: 60+ deg 60-70% exponential

Rudder Low: 20 deg 50-60% exponential
High: 45+ deg 60-80% exponential

Power System:

GP123cc
Desert Aircraft DA 120cc
Blazing Star DA 120 stand-off
FlowMaster 34 oz. fuel tank
Header Drop: 70mm

Servos:

Qty. 7 high torque metal gear servos: Savox SB2290SG, JR8911, MKS HBL 380, MKS HBL 599
Throttle Servo: MKS HV1250

Servo Arms:

Qty. 4 Extreme Flight 1.5" single servo arms (tapped 3mm) for Ailerons
Qty. 2 Extreme Flight 2" single servo arms (tapped for 3mm) for Elevators
Qty. 1 Extreme Flight 2" servo arm (tapped for 3mm) for Push-Pull Rudder (Recommended)
OR Qty. 1 Extreme Flight 4" double servo arm (tapped for 3mm) for Pull-Pull Rudder

Servo Extensions:

Qty. 2 Extreme Flight 20 AWG 24 inch for outboard Ailerons servos
Qty. 3 Extreme Flight 20 AWG 48 inch for Elevators and Push-Pull Rudder
Qty. 1 Extreme Flight 20 AWG 24 inch for Throttle servo

Covering:

BLUE SCHEME
Cub Yellow #30
Cadmium Yellow #33
Blue #50
White #10
Dark Blue #52
Silver #91

Cub Yellow-#HANU884
Bright Yellow-#HANU872,
Deep Blue-#HANU873
White #HANU870
Midnight Blue #HANU885
Silver #HANU881

RED SCHEME
Ferrari Red #23
Red #20
White #10
Pearl Charcoal #77
Silver #91
Black #71

True Red #HANU 866
Deep Red #HANU 871
White #HANU870
Pearl Charcoal-#HANU846
Silver #HANU881
Black #HANU 874

EXTREME FLIGHT X